



SEQUENCE LISTING

RECEIVED
JAN 25 2002
TECH CENTER 1600/2900

#10

B
<110> Tsao, Desiree
Telliez, Jean-Baptiste
McDonagh, Thomas
Lin, Lih-Ling
Hsu, Sang
Xu, Guang-Yi
Malakian, A. Karl

<120> N-TRADD ACTIVE SITE AND USES THEREOF

<130> 37174/7

<140> US 09/821,819

<141> 2001-03-29

<150> US 60/195,370

<151> 2000-04-06

<160> 6

<170> PatentIn version 3.0

<210> 1

<211> 168

<212> PRT

<213> Homo sapiens

<400> 1

Met Ala Ala Gly Gln Asn Gly His Glu Trp Val Gly Ser Ala Tyr Leu
1 5 10 15

Phe Val Glu Ser Ser Leu Asp Lys Val Val Leu Ser Asp Ala Tyr Ala
20 25 30

His Pro Gln Gln Lys Val Ala Val Tyr Arg Ala Leu Gln Ala Ala Leu
35 40 45

Ala Glu Ser Gly Gly Ser Pro Asp Val Leu Gln Met Leu Lys Ile His
50 55 60

Arg Ser Asp Pro Gln Leu Ile Val Gln Leu Arg Phe Cys Gly Arg Gln
65 70 75 80

Pro Cys Gly Arg Phe Leu Arg Ala Tyr Arg Glu Gly Ala Leu Arg Ala
85 90 95

Ala Leu Gln Arg Ser Leu Ala Ala Ala Leu Ala Gln His Ser Val Pro
100 105 110

Leu Gln Leu Glu Leu Arg Ala Gly Ala Glu Arg Leu Asp Ala Leu Leu
115 120 125

Ala Asp Glu Glu Arg Cys Leu Ser Cys Ile Leu Ala Gln Gln Pro Asp
130 135 140

Arg Leu Arg Asp Glu Glu Leu Ala Glu Leu Glu Asp Ala Leu Arg Asn
145 150 155 160

RECEIVED
JAN 25 2002
TC 1700

Leu Lys Cys Gly Ser Gly Ala Arg
165

<210> 2

<211> 13

<212> PRT

<213> Artificial

<220>

<221> PEPTIDE

<222> (1)..(13)

<223> CD40 peptide synthesized using Fmoc solid-phase methods

<400> 2

Ser Asn Thr Ala Ala Pro Val Gln Glu Thr Leu His Gly
1 5 10

<210> 3

<211> 6

<212> PRT

<213> Artificial

<220>

<221> peptide

<222> (1)..(6)

<223> shortest CD40 sequence recognized by TRAF2

<400> 3

Tyr Pro Ile Gln Glu Thr
1 5

<210> 4

<211> 9

<212> PRT

<213> Artificial

<220>

<221> peptide

<222> (1)..(9)

<223> C-TRAF2 consensus sequence

<400> 4

Gln Val Pro Phe Ser Lys Glu Glu Cys
1 5

<210> 5

<211> 4

<212> PRT

<213> Artificial

<220>

<221> peptide

<222> (1)..(4)

<223> TNFR2 sequence motif; X may be any amino acid

<400> 5

Ser Xaa Xaa Glu
1

<210> 6

<211> 5

<212> PRT

<213> Artificial

<220>

<221> peptide

<222> (1)..(5)

<223> CD40 sequence motif; X may be any amino acid

<400> 6

Pro Xaa Gln Xaa Thr
1 5